

Wall Mount FO 22 - Splice and Termination Box

Description:

The FO 22 is a cost effective wall mount interconnect indoor cabinet designed for splice, storage and protection of 4 to 12 fiber optic connections. These compact, modular units are ideal for use in locations such as building entrance terminals, telecommunications closets and other controlled environments where wall space is at premium. The FO 22 M allows capacity up to 12 fibers.



Features:

- Easy wall mounting
- Craft friendly protection for facility and user connections
- Modular system
- Easy access to individual connectors
- Durable powder coat finish
- Easy exchangeable panels for most common connector types
- Bushing PG for firm holding of optical cable

Technical specifications:

PART NUMBER	FIBER CAPACITY	DIMENSIONS (HxWxD) mm	SHIP WGT (kg)
FO 22	up to 12	205 x 130 x 30	0.7 kg



FO 22 with CNPM-DSC-06



FO 22 entry panel with PG9



Product information and specifications:





Detail of front panel

Global overview

Standard accessories:

- FO-22 M base
- Top cover
- mounting kit (splice holder, screws, curlocks)
- splice sleeves according to fiber capacity

Fiber patch panels options

FO adapter panels	Number of adapters	Cap.
CNPM - ST - 06 (08)	6(8)x ST type	6(8)
CNPM - FC - 06 (08)	6(8)x FC type	6(8)
CNPM - SC - 06 (08)	6(8)x SC type	6(8)
CNPM - DSC - 03	3x duplex SC type	6
CNPM - DSC - 06	6x duplex SC type	12
CNPM - E2 - 06 (08)	6 (8) x LSH (E2000) type, E2000 size	8
CNPM - DE2 - 06	6x duplex LSH (E2000) compact	12
CNPM - DLC - 06	6 x duplex LC type, SC footprint	12
CNPM – MJ – 06	6 x MT-RJ type	12
CNPM – DMU – 06	6 x duplex MU type	12
CNPM - 00	Blank panel	0

Ordering Code:

FO 22 - XX - XX X - X/X (Panels option)

2, 4,12 fibers				
ST	ST	М	Multimode	
SC	SC	S	Singlemode	
FC	FC	A	APC	
E2	LSH (E2000)			
DSC	Duplex SC			
DE2	Duplex LSH			
DLC	Duplex LC			

FO 22 Panels	
CNPM-00	Universal blank panel
CNPM-PG9	Entry panel including PG9 bushing
CNPM-PG9-02	Entry panel including 2 x PG9 bushing
CNPM-XX ¹	According CNPM panels datasheet

NOTE:

1) coupling panels according to datasheet: CMS_24-01_EN-CNPM







Entry panel including 2 x PG9 bushing